

**From:** Ron Borsellino/R3/USEPA/US  
**Sent:** 3/9/2012 3:52:00 PM

**To:** Cecil Rodrigues/R3/USEPA/US@EPA; Terri-A White/R3/USEPA/US@EPA; Cynthia Metzger/ESC /R3/USEPA/US@EPA; carney.dennis@epa.gov; Gray.Heather@epa.gov; duteau.helen@epa.gov; Humane Zia/R3/USEPA/US@EPA; hodgkiss.kathy@epa.gov; Michael Kulik/R3/USEPA/US@EPA; seneca.roy@epa.gov; Joan Schafer/R3/USEPA/US@EPA; Victoria Binetti/R3/USEPA/US@EPA; Walter Wilkie/R3/USEPA/US@EPA; taylor.trish@epa.gov; johnson.Karend@epa.gov; Jennie Saxe/R3/USEPA /US@EPA; Gerald Heston/R3/USEPA/US@EPA; Fran Burns/R3/USEPA/US@EPA; JohnJ Butler/R3/USEPA /US@EPA; borsellino.ron@epa.gov; Driscoll.Stacie@epa.gov; krakowiak.john@epa.gov; JohnJ Butler/R3 /USEPA/US@EPA; William Arguto/R3/USEPA/US@EPA; Ellen Schmitt/R3/USEPA/US@EPA; Jon Capacasa/R3/USEPA/US@EPA; John Pomponio/R3/USEPA/US@EPA; Hodgkiss.Kathy@epamail.epa.gov

**CC:**  
**Subject:** Fw: Dimock Daily Report

see below

Ron Borsellino  
Director  
Hazardous Site Cleanup Division

----- Forwarded by Ron Borsellino/R3/USEPA/US on 03/09/2012 03:51 PM -----

**From:** Ron Borsellino/R3/USEPA/US  
**To:** Bob Sussman/DC/USEPA/US@EPA, Mathy Stanislaus/DC/USEPA/US@EPA, Brendan Gilfillan/DC/USEPA/US@EPA, Lisa Feldt/DC /USEPA/US@EPA, Dana Tulis/DC/USEPA/US@EPA, Betsaida Alcantara/DC/USEPA/US@EPA, Arvin Ganesan/DC/USEPA/US@EPA, Sarah Pallone/DC/USEPA/US@EPA, Janet Woodka/DC/USEPA/US@EPA, Larry Stanton/DC/USEPA/US@EPA, Gilberto Irizarry/DC/USEPA /US@EPA, Ron Borsellino <borsellino.ron@epa.gov>, William Early/R3/USEPA/US, Shawn Garvin/R3/USEPA/US@EPA, Amy Johansen/R3 /USEPA/US@EPA, Daniel Ryan/R3/USEPA/US@EPA, Michael DAndrea/R3/USEPA/US@EPA, Janice Donlon/R3/USEPA/US@EPA  
**Date:** 03/09/2012 03:50 PM  
**Subject:** Dimock Daily Report

**Dimock Daily Report**  
**March 9, 2012**

## **FIELD ACTIVITIES**

### **Water Supply**

Alternate water continues to be provided as necessary.

The one resident whose well water was found to have high arsenic and who was receiving water from Cabot has declined further alternate water from Cabot and from EPA.

### **Sampling**

No homes sampled today.

Region continues to finalize data packages for distribution next week.

There are currently four outstanding residences that we are still attempting to schedule. Of these four, one will not be back in the area before April. We are still trying to re-schedule sampling with the resident in the hospital.

Includes home sampled yesterday afternoon.

## **COMMUNICATIONS**

Fact Sheet alerting residents that EPA will be contacting them over several weeks with water sample results is finalized and will be distributed on Monday.

Draft Q&As provided to HQ for concurrent review with R3 internal review.

## **LEGAL ISSUES**

None reported today

Let me know if you have questions or need additional information

Ron

Ron Borsellino  
Director  
Hazardous Site Cleanup Division